Product Guide

Made in INDIA by HEMTECH

Meine Testine

UTM Tensile Compression Bending MFI IZOD Impact ESCR HDT/VICAT UL 94 Flammability Density Balance PEEL-BOND COF Heat Sealer Falling Dart Impact colour Tear OPACITY HAZE GSM MOISTURE Balance Thickess HOT TACK WVTR OTR Burst Leak Balloon Bursting Strength CORE STRENGTH **OIT** Hydrostatic Pressure Pipe Burst THERMO-CYCLING SCG Notch Cutter Milling Torque **force gauge** dosing system profile control IBC Control LAYFLAT CONTROL thickness scanner chillers Calibration cage screen changer UTM Tensile Compression Bending MFI IZOD Impact ESCR HDT/VICAT UL 94 Flammability Density Balance PEEL-BOND COF Heat Sealer Falling Dart Impact OPACITY HAZE colour Tear MOISTURE GSM Balance Thickess HOT TACK WVTR OTR Balloon Leak **Burst** Bursting Strength CORE STRENGTH **OIT** Hydrostatic Pressure Pipe Burst THERMO-CYCLING SCG Notch Cutter Milling Torque **force gauge** dosing system profile control IBC Control LAYFLAT CONTROL thickness scanner chillers Calibration cage screen changer





HEM TECHSYS PRIVATE LIMITED

Popularly known as **HEMTECH**

About us

HEMTECH is a company established and run by Technocrats. **HEMTECH** is focussed in the field of Testing Instruments and Automation Systems for Polymer, Films & Laminates, Packaging, Pharma Packaging, Polymer Pipes, Textiles & Technical Textiles, Automotive Industries. **HEMTECH** works very closely with all reputed Institutes and Industries in the filed and so have good exposure and experience in t he respective fields.

HEMTECH is Committed to bring to you world's best and latest technology Instruments as Authorised Agent for world renown companies in their respective fields. **HEMTECH** also expanded activities by also establishing local manufacturing facility with near Imported Quality Value for Money Instruments for the Quality Conscious Indian and foreign customer. Thus **HEMTECH** has unique balance of world class imported Instruments and near Imported Quality best in class locally manufactured Instruments under the registered trademark brand of **HEMTECH**.

Team

HEMTECH is a young and Dynamic team of

- · Electronics Engineers
- Mechanical Engineers
- •, Software Development Engineers.

- Instrumentation Engineers
- •, Electrical Engineers

Positive Attitude, Hard Work, Sincerity, Honesty and Team work is the core strength of the team HEMTECH.

Service

HEMTECH believes in COMPLETE services. Our team believes that Service starts even before selling the Instrument or System. At HEMTECH Services are package of



Pre-Sales



Installation & Commissioning



Repairs & Maintenance



Training &
Tech Support



Calibration



Retrofit & Computerisation

Divisions

We at HEMTECH believe that better focus gives better results. Hence, we have divided our company operation in divisions.

- Sales Division Pre-Sales Service, Sales, Application Support, Liaison...
- Service Division Installation & Commissioning, Training, Repairs & Maintenance, Technical Support, Calibration...
- D & D Division Design, Development of Instruments, Electronics, software, Retrofits...
- Manufacturing Division Manufacturing of Instruments, Accessories, SPM...
- Testing Division Testing Facility for Industries on Commercial bases...

Achievements

- ✓ National Award for Innovation in Technology by Ministry of Chemical & Fertilisers 2011
- ✓ National Award for Innovation in Technology by Ministry of Chemical & Fertilisers 2012
- ✓ Development of Instrument for Mozzarella Cheese Testing for Anand Agriculture University
- ✓ Development of Retrofit kit for Imported HOT TACK TESTER





Packaging Material Testing Instruments

Tensile Tester

Microcontroller based LCD Display & Keypad Micro-stepping / Servo Drives High Data Rate Built in RS 232 Interface

Self Identification Loadcell Accurate Force Measurement. Wide Speed Range

hemWIZARD – WINDOWS based Software for Control & Data Acquisition



Peel-Bond Tester

Microcontroller based LCD Display & Keypad Micro-stepping / Servo Drives High Data Rate Built in RS 232 Interface

Self Identification Loadcell
Accurate Force Measurement.
Wide Speed Range

hemWIZARD – WINDOWS based Software for Control & Data Acquisition

Single Machine Many Many Applications ...



Friction Tester COF

Microcontroller based LCD Display & Keypad Micro-stepping / Servo Drives High Data Rate Built in RS 232 Interface



hemWIZARD – WINDOWS based Software for Control & Data Acquisition



Pressure Pulse based Dwell time Control

Heat Sealers

Microcontroller based LCD Display & Keypad

True
Pressure Measurement
Dwell time Self Tuning

Balloon Burst Tester

Meets ASTM Digital Peak Hold

Restraining Plates



Tear TesterElmendorf type

Digital



Stiffness Tester



Analogue Version



Ancillaries for Paper, Corrugated Sheet Testing Instruments







Tack Tester (Rolling Ball Type)



Shear Adhesion Tester



Bursting Strength Tester

Digital Manual clamping

Optional Pneumatic lamping









BOX Compression Tester

Digital Pneumatically Operated Accurate Force Measuring system

Different Models as per Platform size available.



Loop Tack Tester

Digital For testing Adhesive Tapes



Shear Adhesion Tester

2 stations to 30 stations models

Digital Timer Battery Operated Auto Hold Test end sensing



Bottle Compression tester For Top Load



Dynamic Shear Adhesion Tester

hemtech"

USA

Package Testing Instruments

AXIS

Automated

Package Tester

Suitable for performing

Seal Strength Test

(Burst, Creep, Creep-to-Failure) Porous & Non-Porous Flexible Packages

Leak Integrity Test

Leak Test for

Non-Porous Flexible Packages

LEAK & LEAK / FLOW TESTERS

Pressure or Vacuum Decay Models

Suitable for performing

- ✓ Leak Test
- ✓ Leak / Flow Test
- ✓ Leak / Occlusion Test

NON DESTRUCTIVE LEAK TESTERS

Suitable for performing

- ✓ Induction sealed Bottles
- ✓ Blister Packs
- √ Vials
- ✓ Medical Devices









LEAK & BURST Tester



Suitable for performing WET & DRY Leak Test

- ✓ Snack pouches
- √ Food Pouches
- ✓ Bags



Large size Desiccator



Standard Desiccator





Permeability Testers For Films & Packages

OTR

WVTR

Patented

Technology

Automatic Flow Control & Pressure Compensation **X**ExtraSolution

Meets Latest Standards

WVTR: ASTM F 1249 OTR: **ASTM F 2622 CO2TR**: ASTM F2476

Measuring Range

Test Range H2O 0.002-100 g.m-².24h⁻¹.bar⁻¹ (unmasked) 0.04-2000 g.m-².24h⁻¹.bar⁻¹ (masked)

Test Range O2 0.01-15000 cm³.m-².24h⁻¹.bar⁻¹ (unmasked) 0.2-80000 cm³.m-².24h⁻¹.bar⁻¹ (masked)

Test Range CO2 0.25-18000 cm³.m-².24h⁻¹.bar⁻¹ (unmasked) 20-360000 cm³.m-².24h⁻¹.bar⁻¹ (masked)



Product Range:

TotalPerm

3 in 1 Instrument

MultiPerm

2 in 1 Instrument

PermeO₂ +

Both side RH Control

PermeH₂O

Water Vapour Transmission Rate - WVTR

PermeO₂

Oxygen Transmission Rate - OTR

PermeCO₂

Carbon Dioxide Transmission Rate - CO2TR

PermeO₂RC - Economical **Oxygen Transmission Rate - OTR**

PackPerm - for Packages Oxygen Transmission Rate - OTR

CarboPackBT

for Carbonated Beverage Bottles **Carbon Dioxide Transmission Rate** CO2TR

Gives result in an Hour which normally takes weeks !!! Only of its kind in World Market

Only of its kind in World Market

Only of its kind in World Market

- ✓ Fully Computer Controlled
- ✓ Single Cell or Two Cell Models
- √ Temperature Control 10 50 °C (+/- 0.1 °C)
- ✓ Humidity Control from 5 to 95% (+/- 1.5%)
- √ 100% Humidity Mode
- √ 0% Humidity Mode (for O2 & CO2)
- Allows sample thickness up to 2.5 mm
- Automatic Flow Control (10 75 ml/min)
- Unique Closure System-No need to cut samples!
- Data storage & Graph Storage for viewing later
- **LABVIEW** based latest Software
- Latest USB Interface!





♦ hemtech®

HOT TACK TESTER





What is NEW !!!


- ✓ USB interface
- Windows 7 Operating system (Option for Win8 is available)
- ✓ Test software Wintack ver. 11
- ✓ Indication of Actual Sealing Temperature on the Instrument.
- ✓ Improved Hardware


Dynamic Testing Consultants

Auto -Digital Pressure Regulation

Controls

Sealing Temperaturel
Sealing Pressure
Dwell Time
Delay Time





Testpar:	AMC41109	SealPress:	0,5	
Operator:	nn	Delay time:	0,20	
Created:	2002-06-06	PeelSpeed:	200	
				•
HtF_Max				
SealTemp	Min.	Max.	Avg.	Std.
120	0,93	1,27	1,12	0,15
130	2,47	2,63	2,57	0,0735
140	3,32	3,85	3,61	0,228
150	2,79	3,31	3,07	0,214
160	2,1	2,38	2,24	0,118
170	1,74	2,06	1,93	0,136
180	1,68	1,83	1,78	0,0678
enec width 25 mm				

4,5
4
3,5
3
2,5
N
2
1,5
1
0,5
0
100
120
140
160
180
200

TORQUE TESTER

Manual torque Tester



Micro-controller based Digital
Operating Console with Key pad & LCD
Calibration facility

Motorised Torque Tester

- ✓ Compact Size
- ✓ Constant Speed Drive
- ✓ LCD Display & KEYPAD
- ✓ Calibratable in the Field
- ✓ Wide Operating Temperature Range
- ✓ Non-destructive Testing
- ✓ RS-232 Port





SAFAL

SEKHANI

SHIVA TEX

SHAILLY ENGINEERING

SHANKAR PACKAGIN

SHEFIELD POLYMERS

SHRINATH ROTO PACK

SHUBHAM EXTRUSION

SPOT ON COATINGS

STRONG STRAPS

SUNPHARMA

SWISS PACK

SWAPNIL AGRO

VIKAS GLOBAL

WIRE & FABRIK

YESH LAMI PRINT

SUPREME

TUFLEX

UFLEX

SIDMAK LABORATORIES

THIAGRAJA UNIVEERSITY

ULTIMATE FLEXIBLES

Our Extended Family (Partial List of Valued Customers)

AMCOR APPL ADRDE ASHIRVAD PIPES ASTRAL AXEL POLYMERS BALAJI WAFERS BENTLAY FITTINGS IOCL BHANSALI ENGINEERING

CKZIPPERS CAPITOL FIBRES CAPRI COATINGS CAVIN KARE CHIRIPAL FILMS

CIPET **CLARIENT CONSTANTIA** DRDE EASTER **ECOPLAST**

EPC GABA

GAIL **GHODAVAT FOOD GLENMARK HOLISTER HUTAMAKI IDEX IDMC** IISC

INJECTOPLAST ION EXCHANGE

IPR ITC **JESONS**

KALPENA INDUSTRIES

KJR FILMS LARPM

LAXMI SNACKS

LOHIA

M C COLLEGE M J BIOPHARMA M S UNIVERSITY **MANTRA MARVEL** MEHATA FLEX MERIL ENDOSURGERY MONTAGE GLOBAL

MULTIFLEX MULTI FILMS NAVAMI

NAVRANG POLY FILMS

ORIFLAME

OSWAL EXTRUSIONS PACKAGING INDIA PAPER PRODUCTS

LIMITED

PARIKH PACKAGING

PARLE PARRY PLATICHEMIX

POSITIVE PACKAGING RAJASHREE POLYPACK

REAL NAMKEEN **RELIANCE INDUSTRIES**

J F Packaging - Srilanka FIPCO - Oman

Sun Pharma De Mexico - Mexico

International Customers



"Total Customer Satisfaction Through Quality Services









HEM TECHSYS PRIVATE LIMITED

Regd. Office:

484/B/2, G.I.D.C., INDUSTRIAL AREA, MAKARPURA, VADODARA - 390 010. M: +91 8000484484

E: sales@hemtech.in W: www.hemtech.in

PAN: AACCH1767L GST: 24AACCH1767L1ZG CIN: U31900GJ2009PTC056166